

Catalogue

2008



www.flexistep.ca

Flexi Entreprises Inc.
7 rue Lemieux
Victoriaville, Québec, Canada
G6P 7M6

Toll free : 1 866-758-8111
Phone : 1-819-758-8111 Fax : 1-819-758-6789
E-mail : flexi@qc.aira.com

We have flexibility for you.

Telescopic boarding
ladder
FLEXISTEP

E
A
S
Y

F
A
S
T

&

S
A
F
E



H
E
A
V
Y

D
U
T
Y

B
U
I
L
T

Flexistep®

www.flexistep.ca

FLEXISTEP Aluminium Telescopic Ladder

The ladder fits in one robust rustproof stainless steel box. Helpful in bad weather conditions, when there is snow, ice, or rainy days. This ladder always is proper and ready which also protects the ladder.

Did you know that more than 16 % of occupational accidents are link to the use of semi-trailers , big lorries bearers and of lorries are caused by a miss-step, fall or a jump ?

Flexistep gets you a return on investment really interesting for many years !

A facilitated work, avoided accidents, an important reduction of the costs of absenteeism.

Other advantages :

Autocarring structure.

Easy unfold with one hand.

Heavy-Duty (Guaranteed 300 pds).Extremely light (less 45 pds).

100% resistant against rust.

Nonskid structure.

Box (17"X17"X4.5")

Simple to install.

Guaranteed one year (factory)

modèl : 90004

Code c.u.p : 873952000042

Address, e-mail, fax and phones :

Phone : 1-866-758-8111

E-mail : flexi@qc.aira.com

Fax : 1-819-758-6789

Flexi Entreprises inc.

7 rue Lemieux

Victoriaville, Québec

CANADA G6P 7M6



Flexistep[®]

www.flexistep.ca



www.flexistep.ca

Flexistep "All use" bench



The foldable legs of the Flexistep's «All use» bench offers little filing space

Flexistep «All use» bench offers stability to the user

Is easy to transport, easy to use and easy to arrange

Can easily be transformed to adapt various applications:

Construction, Industry, commercial Lettering,

to cut (hedges, trees) and installation of all kinds, etc

Available in several heights and lengths

Load capacity 300 lbs Max



Model/Code	Height in/cm	Length in/cm	Width in/cm	Weight lb/kg
91018	18/45	38/96	11/30.7	16/7.3
91024	24/60	40/101	11/30.7	18.5/8.4
91030	30/76	62/157	11/30.7	23.5/10.6
91036	36/91	75/190	11/30.7	27.5/12.5
91042	42/106	87/221	11/30.7	33.5/15.2
91048	48/121	100/254	11/30.7	38.5/17.5

To order call 1 866 758 8111 Fax : 1 819 758 6789 or Email : flexi@qc.aira.com
Flexi Entreprises Inc. Victoriaville (Québec) G6P 7M6



www.flexistep.ca

TeLESCOPIC LADDER FLEXISTEP

The telescopic ladder is a professional choice !

Light and flexible to be easy to transport and use.



Adjustable in various heights, the ladder adapts quickly to the multiple professionals working needs.



*Easy,
fast &
safe*

Address, e-mail, fax and phones :

Phone : 1-866-758-8111
E-mail : flexi@qc.aira.com
Fax : 1-819-758-6789

Flexi Entreprises inc.
7 rue Lemieux
Victoriaville, Québec
CANADA G6P 7M6





www.flexistep.ca

TeLESCOPIC LADDER FLEXISTEP

The telescopic ladder is a professional choice !



Ladder from 2.5 ft to 12.5 ft

With push buttons for each closure levels.

Number of rungs : 13
Weight: 25 Lbs
product : 91551
c.u.p : 873952001056



Ladder from 2.5 ft to 12.5 ft.

With ring for a closing even faster.

Number of rungs : 13
Weight: 25 Lbs
product : 91554
c.u.p : 873952001254



Address, e-mail, fax and phones :


Phone : 1-866-758-8111
E-mail : flexi@qc.aira.com
Fax : 1-819-758-6789

Flexi Entreprises inc.
7 rue Lemieux
Victoriaville, Québec
CANADA G6P 7M6





www.flexistep.ca



**Emergency
foldable ladder no-
conductive**

*Easy,
fast &
safe*

Dimensions:

Rungs number: 6

Space between rungs:
12'' (30.48cm)

Height: 78'' (1.98m)

Open width:
15'' (38.1cm)

Close width:
2.25'' (5.72cm)

Thickness:
1.625'' (4.13cm)

Weight: 10 pds
(4.54kg)

Address, e-mail, fax and phones :

Phone : 1-866-758-8111
E-mail : flexi@qc.aira.com
Fax : 1-819-758-6789

Flexi Entreprises inc.
7 rue Lemieux
Victoriaville, Québec
CANADA G6P 7M6





www.flexistep.ca

**Emergency
foldable ladder
no-conductive**

General Characteristics:

Matérials:

Side rails are made of reinforced fiberglass (Safety Yellow). Steps and center rail are made of clear anodized aluminium.
Supports and fasteners are made of zinc plated steel.
Non-slip shoes and caps are made caoutchouc and step spacer are made plastic.
Steps are made non-skid.

Standard: Type 1 Heavy Duty, ANSI A-14.5, ASTM E-162, ASTM E-662, ASTM E-1354, SPM 800-C.

Instruction:

Place ladder in upright position, firmly pull side-rail apart. Make general verification of ladder. If all correct, ladder is ready for use.

Made in Canada

Product code : 98006
CUP : 873952000998

Address, e-mail, fax and phones :


Phone : 1-866-758-8111
E-mail : flexi@qc.aira.com
Fax : 1-819-758-6789

Flexi Entreprises inc.
7 rue Lemieux
Victoriaville, Québec
CANADA G6P 7M6



Aluminium Foldaway ladder

SECURI7



- Fold away space saving storage. Can be stored anywhere.
- Meet or exceeds ANSI standard #A14.2-1990 and meets CSA CAN 3-Z11-M81 for type 11 ladder use.
- Opens and closes in seconds in one easy movement.
- Anodized aluminium and steel construction for maximum strength.
- Several U.S., CANADA and international patents..

Standards Ladders

# D'item	Code CUP	Number of steps	Height
95007	873952003579	7	8'
95009	873952003593	9	10'
95011	873952003616	11	12'

Truck Road Ladders

# D'item	Code CUP	Number of steps	Height
95004	873952003548	4	6'
95004-1 (ajustable)	873952003555	4	6'
95007-1 (ajustable)	873952003586	7	8'

Address, e-mail, fax and phones :

Phone : 1-866-758-8111
E-mail : flexi@qc.aira.com
Fax : 1-819-758-6789

Flexi Entreprises inc
7 rue Lemieux
Victoriaville, Québec
CANADA G6P 7M6


**Built
Tough
Easy to use
Space saving**



ALUMINUM FOLDAWAY STEPLADDER

SECURI

- Fold away space saving storage. Can be stored anywhere.
- Meet or exceeds ANSI standard A14.2 and meets CAN/CSA Z-11 for type 11 stepladder use.
- Opens and closes in seconds in one easy movement.
- Aluminium and steel construction for maximum strength.
- Several U.S., CANADA and international patents..
- Increased stability with wider extension of steel legs.



25 LBS. WEIGHT CAPACITY

WITH A SAFETY BAR



# D'item	Code CUP	Number of steps	Height
93003	873952003036	3	5'
93004	873952003043	4	6'
93005	873952003050	5	7'
97005	873952007058	Tablet—painter	

Address, e-mail, fax and phones :

Phone : 1-866-758-8111
E-mail : flexi@qc.aira.com
Fax : 1-819-758-6789

Flexi Entreprisesinc.

7 rue Lemieux
Victoriaville, Québec
CANADA G6P 7M6



Flexistep
www.flexistep.ca



www.flexistep.ca

Rampe aluminium VTT Flexistep

# Item	length	width	weight
97006	6'	11''	15 lbs
97007	7'	11''	18 lbs
97008	8'	11''	20 lbs



Address, e-mail, fax and phones :

Phone : 1-866-758-8111
E-mail : flexi@qc.aira.com
Fax : 1-819-758-6789

Flexi Entreprises inc.
7 rue Lemieux
Victoriaville, Québec
CANADA G6P 7M6

